



The Flameskill Fire Safety Catalogue

Your single source for fire safety



Angus Fire Distributors



Oil & Gas



Marine



Petrochemical



Airports



Fire Brigades

About the catalogue

FLAMESKILL is your Single Source Solution for all your fire fighting equipment. Our markets are wide and include, oil and gas, offshore, petrochemical, refineries, gas terminals, airports, fire brigades, marine, both in the UK and around the world.

How to find the information you are looking for

Products are easy to find using our table of contents on the opposite page. Each item has a short description and a part number. For variants of a product, for example a different fire fitting is required, please use the part number and the fitting you require or contact the sales office for further information.

Detailed datasheets on each item can be found on our website, www.flameskill-shop.co.uk. If you still can not find the information you require, please contact the Flameskill sales office.

If the product you are looking for is not in our catalogue, please advise as much information as possible and we will source and supply you with our very best quotation.

For more information please contact

Flameskill Ltd 1 Morton Peto Estate Great Yarmouth Norfolk NR31 0LT UK
Tel: +44 (0) 1493 440464 or 0800 1694 222 Fax: +44 (0) 1493 440581
Email: admin@flameskill.co.uk

About Flameskill	4
Flameskill Services	6
Fire Extinguishers & Accessories	10
Fire Cabinets	18
Fireman PPE	23
Helicopter Crash Rescue	30
Fire Fighting Equipment	32
Fire Hydrant Valve	38
Waterway Equipment	40
Foam Equipment	42
Foam Concentrate	44
Fire Monitors	45
Breathing Apparatus	49
Alarm Equipment	52
Life Safety	53
Safety Signage	54



Other products that are not included in this catalogue may be available on request

© 2013 Flameskill, all rights reserved. Reproduction is prohibited without prior permission

Inline with our policy of continuous improvement, we reserve the right to amend any specification without notice

About Flameskill

Flameskill are specialists in the supply, service, maintenance and recertification of fire fighting and safety equipment.

Flameskill has been established for over 25 years and lead the way in providing fire protection services and products. Together with our Single Source Solution of fire fighting products, we provide fire equipment servicing, including fire extinguishers, suppression systems and fire alarm systems, to current British Standards, marine servicing to Department of Trade and Industry Standard and our service engineers are certificated to work on offshore installations. All our service technicians are fully trained , third party accredited and registered in the BAFE SP101 and ST104 National Accredited Service Technician Scheme.

Our Quality Management System ISO 9001, Environmental Management Systems ISO 14001 and our listing with FPAL, provides assurances to our customers that the services and product which we provide are of the highest standard.

Full details of our products and services can be found at,

www.flameskill.co.uk and www.flameskill-shop.co.uk.

Our Markets

Oil & Gas/Offshore

We supply fire fighting equipment to the Oil and Gas / Offshore Industry, to the highest standards and have the specialist knowledge you require. We are First Point Assessment (FPAL) registered.

Marine

Flameskill provide comprehensive servicing and supplies in all aspects of Marine fire fighting and safety equipment to MSA approval, MED approval, Lloyds approval etc, encompassing every aspect of fire safety equipment and facilities. We hold Lloyds Register of Shipping and Det Norsk Veritas (DNV) certification in accordance with IACS Unified Requirements (UR) Z17 Revision 2, 1999 for the Service and Maintenance of Fire Fighting Equipment & Systems and Self-contained Breathing Apparatus.

Petrochemical

We deal with a large number of Petrochemical / Refinery / Gas Terminal sites around the UK, both providing them with our fire safety services, as well as supplying them with the fire fighting equipment they need. Flameskill is not limited to the UK, in fact we supply around the world, and to date supply into 27 countries.

Airports

We supply fire fighting equipment in to many UK airports. Our products vary, including, foam concentrates, fire nozzles, layflat fire hose, foam branchpipes, fire fighting gloves, boots and suits.

Fire Brigades

Flameskill supply fire fighting equipment to many of the UK Fire and Rescue Services. Being a Angus Fire Distributor we are able to supply Foam Concentrates, Angus Duraline Fire Hose together with their full range of foam equipment, portable pumps and waterway equipment.



Our Services

- ◆ Fire Extinguisher supply and maintenance
- ◆ Fire Alarm supply and maintenance
- ◆ Fire Suppression Systems supply and maintenance
- ◆ Hydrostatic cylinder testing to British and American (DOT) standard
- ◆ Cylinder refurbishment
- ◆ Cylinder re-filling
- ◆ Cylinder internal cleaning
- ◆ Shotblasting and refurbishing
- ◆ Cylinder NDT testing (visual eddy)
- ◆ Breathing apparatus service and test
- ◆ Face fit
- ◆ Fire hose test and repair
- ◆ Breathing air quality testing
- ◆ Halon recovery
- ◆ Foam testing analysis
- ◆ Gas monitor calibration



Our Brands



Providing Quality Fire Protection Products and Services

6 Flameskill Services

Extinguisher Maintenance

Flameskill provide comprehensive servicing in all aspects of Marine and Offshore Fire Fighting and Safety Equipment to MSA approval, MED approval Lloyds approval etc, encompassing every aspect of fire safety equipment and facilities.

We hold Lloyds Register of Shipping and Det Norsk Veritas (DNV) certification in accordance with IACS Unified Requirements (UR) Z17 Revision 2, 1999 for the Service and Maintenance of Fire Fighting Equipment & Systems and Self-contained Breathing Apparatus.

Our Service Technicians are fully trained and certificated in all aspects of marine and offshore requirements.


Portable Extinguishers and Wheeled Extinguishers are available for hire.



Fire Alarm Maintenance

As an independent company, Flameskill can design, supply, install and commission a range of fire safety systems. We offer equipment from leading manufacturers, ensuring the most suitable installation for the type of business and usage.

We also offer a full maintenance program, with all service work carried out to BS 5839.



Fire Suppression System Maintenance

We provide full design, installation, commissioning and scheduled maintenance of all types of suppression system.

Our Suppression Systems include

- CO2
- Foam
- Water Mist
- FM200
- Novec 1230
- Cooker Hoods
- Flexitec Systems
- Monitoring solutions



Hydrostatic Cylinder Testing & Refilling

We can hydrotest your fire system cylinders, liferaft cylinders and BA cylinders to both British BS and American DOT standard. In fact all kinds of pneumatic cylinders can be fully tested.

Available Services.

- Full Hydrostatic Cylinder Test For Steel and Aluminium Cylinders
- Visual Cylinder Test
- Visual Plus Eddy Current Test
- Internal Cylinder Rumble
- Cylinder Refurbishment
- Cylinder Refills



8 Flameskill Services

Breathing Apparatus Service & Test

Flameskill are distributors and service agents for major Breathing Apparatus manufactures. We supply all B.A. equipment, many items are available from stock, and can carry out full maintenance by our Certified Technicians.

Flameskill has in-house facilities to Hydrotest any breathing cylinders that are due test, as well as cylinder refill. We can carry out Air Purity Analysis, on your breathing air.

We hold a number of Full Duration Breathing Apparatus and Emergency Escape Sets available for hire.



Fire Hose Test & Repair

We have in-house facilities to pressure test and where necessary , rebind, repair and supply new couplings to your layflat fire hose. Re-binding and repairs need to be carried out in our workshops, however we do have a Mobile Test Unit (HTWT), that can pressure test your layflat hoses on site.

The HTWT has been developed to enable pressure testing of fire hose and waterway equipment without the need for an external pump or power source.

The unit, which is fully mobile, comprises of a CE marked 63 litre stainless steel water storage cylinder, a pressurising air cylinder and associated controls.

Operation of the unit is a simple case of filling the storage cylinder with water, connecting to the equipment requiring test – Dry Riser / Fire Hose etc. – opening the water outlet valve, then opening the air supply valve and adjusting the regulator to the desired test pressure.

Once the test has completed the air supply is shut off, and the vent valve opened.



Product Code	Description
HTWTMK5	HTWT Mobile Test Unit

Foam Testing Analysis

Flameskill offer a comprehensive foam testing service. We can test all types of foam including protein, fluoroprotein, AFFF and FFFP's as well as Alcohol Resistant types. The foam concentrates are tested for Drainage Time, Expansion Ratio as well as confirmation of percentage concentrate involving refractive index measurements. We also carry out alcohol resistance checks.

The purpose of a Foam Concentrate Test Report is to evaluate if the sample tested is in satisfactory condition and most importantly, is within the manufacturer's specification.

The purpose of a Produced Foam Test Report is to determine the suitability and accuracy of a foam systems proportioning/induction equipment.



Produced Foam Test Report

Samples required:

Please provide at least the following,

- 1.0 litre of foam concentrate
- 1.0 litre of induction water
- 1.0 litre of produced foam

Samples should ideally be provided in clean tightly sealed bottles and be labelled with the following information,

- Type of foam concentrate, eg 6% AFFF
- Name of company
- Date of sample taken
- Sample location point

How do I take a sample of Produced Foam

Produced or Expanded Foam samples should be represent as closely as possible the foam reaching the designated discharge area.

Collecting samples from nozzles, monitors and overhead sprinklers - Collect sample from point of impact in the discharge area.

Collecting sample from foam pourers - Insert sample container into the edge of produced foam stream and take sample.

Practical points

Before taking the sample, make sure the foam system is running long enough to remove standing columns of water (which otherwise would contribute to a dilute produced foam sample).



Our foam target makes collecting your produced foam sample a whole lot easier. Run your foam system until it's producing quality foam, aim towards the foam target, and the collecting trough will hold your quality foam sample. There is a ball valve release so the produced foam sample can run smoothly into your collecting containers.

The foam target limits any clean up, and you are able to collect your quality produced foam sample without using considerable amounts of foam concentrate.

Product Code	Description
FT100-000	Foam Target

Foam Concentrate Test Report

Samples required:

Please provide at least 1 litre of foam concentrate. Samples should ideally be provided in clean tightly sealed bottles and be labelled with the following information,

- Type of foam concentrate, eg 6% AFFF
- Name of company
- Date of sample taken
- Sample location point

How do I take a sample of Foam Concentrate.

The foam concentrate sample should be representative of the stored product. The three recognised sample procedures most frequently used are,

Single sample - Circulate the stored product to obtain a single homogeneous sample.

Two samples - Take a sample from the top and bottom of the stored product and composite the samples into a single unit.

Three samples - Take a top, middle and bottom sample and composite into a single unit.

10 Fire Extinguishers - Stored Pressure

Water Fire Extinguishers

- Stored pressure
- Corrosion resistant finish
- Squeeze grip operation
- BS EN3 Kitemarked
- MED Approved
- Supplied complete with bracket



Product Code	Description
FS01-065-000	6ltr Water Fire Extinguisher
FS01-095-000	9ltr Water Fire Extinguisher

Foam AFFF Fire Extinguishers

- Stored pressure
- Corrosion resistant finish
- Squeeze grip operation
- BS EN3 Kitemarked
- MED Approved
- Supplied complete with bracket



Product Code	Description
FS02-015-000	1ltr Foam Fire Extinguisher
FS02-025-000	2ltr Foam Fire Extinguisher
FS02-065-000	6ltr Foam Fire Extinguisher
FS02-095-000	9ltr Foam Fire Extinguisher

ABC Powder Fire Extinguishers

- Stored pressure
- Corrosion resistant finish
- Squeeze grip operation
- BS EN3 Kitemarked
- MED Approved
- Supplied complete with bracket



Product Code	Description
FS06-015-000	1kg Powder Fire Extinguisher
FS06-025-000	2ltr Powder Fire Extinguisher
FS06-035-000	3kg Powder Fire Extinguisher
FS06-045-000	4kg Powder Fire Extinguisher
FS06-065-000	6kg Powder Fire Extinguisher
FS06-095-000	9kg Powder Fire Extinguisher

CO2 Fire Extinguishers

- Stored pressure
- Corrosion resistant finish
- Squeeze grip operation
- BS EN3 Kitemarked
- MED Approved
- Supplied complete with bracket



Product Code	Description
FS04-025-000	2kg CO2 Fire Extinguisher
FS04-055-000	5kg CO2 Fire Extinguisher

Fire Extinguishers - Cartridge Operated 11

Water Fire Extinguishers

- Cartridge operated
- Approved and certified to BS EN3
- Kitemarked product
- Wheel marked in accordance with the MED
- CE marked in accordance with the PED
- Colour coded headcap
- Manufactured in the UK
- Excellent fire ratings
- Large neck ring enables servicing and refilling to be conducted with ease



Product Code	Description
FS01-095-05M	9ltr Water Fire Extinguisher - Cartridge

Foam AFFF Fire Extinguishers

- Cartridge operated
- Approved and certified to BS EN3
- Kitemarked product
- Wheel marked in accordance with the MED (9ltr model only)
- CE marked in accordance with the PED
- Colour coded headcap
- Manufactured in the UK
- Excellent fire ratings
- Large neck ring enables servicing and refilling to be conducted with ease



Product Code	Description
FS02-065-05M	6ltr Foam Fire Extinguisher - Cartridge
FS02-095-05M	9ltr Foam Fire Extinguisher - Cartridge

ABC Powder Fire Extinguishers

- Cartridge operated
- Approved and certified to BS EN3
- Kitemarked product
- Wheel marked in accordance with the MED
- CE marked in accordance with the PED
- Colour coded headcap
- Manufactured in the UK
- Excellent fire ratings
- Large neck ring enables servicing and refilling to be conducted with ease



Monnex Extinguishers also available on request

Product Code	Description
FS06-065-05M	6kg Powder Fire Extinguisher - Cartridge
FS06-095-05M	9kg Powder Fire Extinguisher - Cartridge
FS06-125-05M	12kg Powder Fire Extinguisher - Cartridge

Cartridge Extinguishers Spares

Product Code	Description
TI-(colour)	Plastic Pull Tight Seals (advise colour)
CA055-000-77	55 gram CO2 Cartridge
CA075-000-77	75 gram CO2 Cartridge
CA090-000-00	90 gram CO2 Cartridge
CA115-000-00	115 gram CO2 Cartridge
CA150-000-00	150 gram CO2 Cartridge
PP05-060-000	6kg ABC Powder Pack
PP05-090-000	9kg ABC Powder Pack
PP05-120-000	12kg ABC Powder Pack
PP05-250-000	25kg ABC Powder Pack
PP06-250-000	25kg Monnex Powder Drum
FR01-069-000	AFFF Foam Refill for 6ltr/9ltr Units
BR59-010-000	Safety Pin

12 Fire Extinguishers - Wheeled Units

Foam Wheeled Extinguishers

- CE marked in accordance with the PED
- Manufactured in accordance with and tested to BS1866
- Wheel marked in accordance with the MED (45ltr model)
- Colour coded screen
- Manufactured in the UK
- Reliability
- Designed for long service in harsh conditions



Other sizes available on request

Product Code	Description
FST2-045-000	45ltr AFFF Foam Wheeled Extinguisher
FST2-135-000	135ltr AFFF Foam Wheeled Extinguisher

Powder Wheeled Extinguishers

- CE marked in accordance with the PED
- Manufactured in accordance with and tested to BS1866
- Wheel marked in accordance with the MED (50kg model)
- Colour coded screen
- Manufactured in the UK
- Reliability
- Designed for long service in harsh conditions



Other sizes available on request

Product Code	Description
FST6-050-000	50kg ABC Powder Wheeled Extinguisher
FST6-100-000	100kg ABC Powder Wheeled Extinguisher
FST6-070-0BC	70kg BC Powder Wheeled Extinguisher
FST6-050-0MX	50kg Monnex Wheeled Extinguisher

CO2 Wheeled Extinguishers

- CE marked in accordance with the PED
- Manufactured in accordance with and tested to BS1866
- Wheel marked in accordance with the MED
- Colour coded screen
- Manufactured in the UK
- Reliability
- Designed for long service in harsh conditions



Product Code	Description
FST4-010-000	10kg CO2 Wheeled Extinguisher
FST4-020-000	20kg CO2 Wheeled Extinguisher
FST4-030-000	30kg CO2 Wheeled Extinguisher

Wheeled Extinguishers Spares

Product Code	Description
CS54-005-416	CO2 Washers
NR52-450-603	Powder Discharge Control Lance
NR52-450-604	Foam Discharge Control Lance
CS54-005-836	1mtr CO2 Lance c/w Ball Valve
CS54-005-837	2mtr CO2 Lance c/w Ball Valve
NR54-019-(mtr)	Powder/Foam Discharge Hose (advise mtr)
NR54-038-(mtr)	CO2 Discharge Hose (advise mtr)
NR59-000-770	CO2 Hose Connector 14"
NR59-000-0__	CO2 Side Cylinder (advise unit needed for)
NR55-050-000	45ltr/50kg Red PVC Cover
NR55-100-000	135ltr/100kg Red PVC Cover
NR55-020-000	20kg CO2 Red PVC Cover

Wet Chemical Fire Extinguishers

- Corrosion resistant finish
- Squeeze grip operation
- Supplied complete with bracket
- CE Marked



Product Code	Description
FS03-025-000	2ltr Wet Chemical Fire Extinguisher
FS03-060-000	6ltr Wet Chemical Fire Extinguisher

Class D Fire Extinguishers

- Corrosion resistant finish
- Squeeze grip operation
- Supplied complete with bracket
- Unique lance applicator allows the powder to fall gently over the fire
- Highly effective against metal fires
- L2 contains powder which is also suitable for fires involving lithium
- CE marked



Product Code	Description
FS06-095-0L2	9kg Lithium L2 Powder
FS06-095-M28	9kg M28 Powder

Flexitec - Automatic Fire Suppression System

- Flexitec is simple and inexpensive to fit.
- Flexitec does not rely on any electrical or moving parts
- Extinguishes a fire at the source via the Flexitec tubing
- Offers 24/7 protection.
- Pressure switches can be fitted to automatically shut down any machinery, systems or sound alarm.
- Flexitec Systems are available in a variety of sizes ranging from 1kg to 6kg.
- Different extinguishing mediums are available to suit the application .
- CE marked in accordance with the PED
- Manufactured in the UK



[Options](#)
[Pressure Switch](#)
[Detection Tubing Length](#)

Product Code	Description
FL06-___	Powder Flexitec (advise size)
FS08-___	FM200 Flexitec (advise size)

Polished & Stainless Steel Fire Extinguishers

- CE Marked
- Squeeze grip operation
- Complete with bracket



Product Code	Description
FS04-025-OSS	2kg CO2 Polished Fire Extinguisher
FS04-055-OSS	5kg CO2 Polished Fire Extinguisher
FS01-065-OSS	6ltr Water S/S Fire Extinguisher
FS01-095-OSS	9ltr Water S/S Fire Extinguisher
FS02-065-OSS	6ltr AFFF Foam S/S Fire Extinguisher
FS02-095-OSS	9ltr AFFF Foam S/S Fire Extinguisher
FS06-065-OSS	6kg ABC Powder S/S Fire Extinguisher
FS06-095-OSS	9kg ABC Powder S/S Fire Extinguisher

14 Fire Extinguishers - Spares

CO2 Helicopter Lance

- Available in two sizes
- Ball valve shut-off
- Ideal for use with CO2 wheeled units



Product Code	Description
CS54-005-836	1mtr CO2 Helicopter Lance c/w Ball Valve
CS54-005-837	2mtr CO2 Helicopter Lance c/w Ball Valve

CO2 Horn & CO2 Hose & Horn




Product Code	Description
CS54-005-412	2kg CO2 Swivel Horn
CS54-055-418	5kg Hose & Horn
CS54-005-416	CO2 Sealing Washer - Nylon

Safety Pins



Product Code	Description
CS54-005-082	CO2 Safety Pin & Ring
CS59-009-080	Standard Extinguisher Safety Pin
CS54-005-188	Plastic OK Indicator Safety Pin

Plastic Extinguisher Labels & Safety Seals



Product Code	Description
CS59-009-077	5 Year Extinguisher Tag - Plastic
CS59-009-076	5 Year Extinguisher Tag - Metal
TI-(colour)	Tamper Seal (various colours available)

ABC Powder Packs



Product Code	Description
PP05-020-000	2kg ABC Powder Pack
PP05-040-000	4kg ABC Powder Pack
PP05-060-000	6kg ABC Powder Pack
PP05-090-000	9kg ABC Powder Pack
PP05-250-000	25kg ABC Powder Pack

BC Powder & Monnex Powder Packs



Product Code	Description
PP01-020-000	2kg BC Powder Pack
PP01-040-000	4kg BC Powder Pack
PP01-060-000	6kg BC Powder Pack
PP01-090-000	9kg BC Powder Pack
PP05-250-000	25kg ABC Powder Pack
PP06-080-000	8kg Monnex Powder Pack
PP06-250-000	25kg Monnex Powder Drum

AFFF Foam Refills



Product Code	Description
FR01-069-000	6ltr/9ltr AFFF Foam Refill
FR01-450-000	45ltr AFFF Foam Refill
FR01-135-000	135ltr AFFF Foam Refill
FRAR-000-001	6ltr Alcohol Resistant Foam Refill

CO2 Cartridge Refills



Product Code	Description
CA055-000-00	55 gram CO2 Cartridge - Zinc
CA055-000-77	55 gram CO2 Cartridge - PVC
CA075-000-00	75 gram CO2 Cartridge - Zinc
CA075-000-77	75 gram CO2 Cartridge - PVC
CA090-000-00	90 gram CO2 Cartridge - Zinc
CA115-000-00	115 gram CO2 Cartridge - Zinc
CA135-000-00	135 gram CO2 Cartridge - Zinc
CA150-000-00	150 gram CO2 Cartridge - Zinc
CA190-000-00	190 gram CO2 Cartridge - Zinc

16 Fire Extinguishers - Brackets

Standard Wall Brackets




Product Code	Description
CS59-009-901	'J' Bracket
CS54-025-904	2kg CO2 Lug Bracket
CS54-055-904	5kg CO2 Lug Bracket

Heavy Duty Transport Brackets



Product Code	Description
CS59-004-090	Heavy Duty Transport Bracket - for use with 6-12kg/ltr extinguisher sizes
CS59-004-060	Heavy Duty Transport Bracket - for use with 3-6kg/ltr extinguisher sizes

Marine Extinguisher Bracket



Product Code	Description
CS59-029-908	860 Marine Bracket
CS59-029-909	Spare Bungee Rubber for 860 Bracket
CS59-049-908	862 Marine Bracket
CS59-049-909	Spare Bungee Rubber for 862 Bracket
CS59-099-908	864 Marine Bracket
CS59-099-908	Spare Bungee Rubber for 864 Bracket

Transport Brackets



Product Code	Description
CS59-030-911	Universal Transport Bracket
CS59-029-910	2kg CO2 Transport Bracket
CS59-029-911	5kg CO2 Transport Bracket

Fire Blankets

- Kitemarked to BS EN 1869:1997
- Durable moulded plastic container
- Available in 4 sizes



Product Code	Description
FB100-100-00	1.0mtr x 1.0mtr Fire Blanket
FB120-120-00	1.2mtr x 1.2mtr Fire Blanket
FB180-120-00	1.8mtr x 1.2mtr Fire Blanket
FB180-180-00	1.8mtr x 1.8mtr Fire Blanket

Welding Blankets



- Green Weavelocked E-Glass Cloth to halt small amounts of spatter and sparks.
- 1mtr x 25mtr or 1mtr x 50mtr rolls available
- Base fabric will withstand continuous temperatures up to 500°C

Product Code	Description
THS-1001-WLG	Green Weavelocked Cloth (per meter)

Hose Reels

- 19 and 25mm versions available
- Automatic or manual versions
- Fixed or swinging versions
- Bronze axles and nylon bearings
- Supplied fully assembled
- Offshore/marine manual versions available (add 'M' to end of P/N)



Add '019' or '025' to end of Product Code for 19mm or 25mm models

Add 'M' to end of Product Code for Offshore/Marine version

Product Code	Description
HR01-001-__	Fixed Manual Hose Reel
HR01-002-__	Fixed Automatic Hose Reel
HR02-001-__	Swinging Manual Hose Reel
HR02-002-__	Swinging Automatic Hose Reel
HR03-001-__	Recessed Swinging Manual Hose Reel
HR03-002-__	Recessed Swinging Automatic Hose Reel

Hose Reels Accessories



Product Code	Description
HR46-34315-0	19mm x 30mtr Hose Reel Tubing
HR46-34315-1	25mm x 30mtr Hose Reel Tubing
HR43-01057-0	19mm Jet/Spray Hose Reel Nozzle
HR43-01058-0	25mm Jet/Spray Hose Reel Nozzle
HR9-019-0101	19mm Gate Valve
HR9-025-0101	25mm Gate Valve
HR9-019-0102	19mm Flexible Water Inlet Pipe
HR9-025-0102	25mm Flexible Water Inlet Pipe
HR43-01015-0	Beaded Hose Guide

18 Fire Cabinets

Rotationally Moulded Fire Extinguisher Cabinets

- Single extinguisher cabinet
- 6-9kg/ltr extinguisher
- Totally corrosion proof
- Dimensions:
H 705 x W 260 x D 253mm



Product Code	Description
JB05-401-000	Single Extinguisher Cabinet
JB05-401-000K	Single Extinguisher Cabinet with Key Lock

- Single extinguisher cabinet
- 9kg/ltr & 5kg CO2 extinguisher
- Totally corrosion proof
- Dimensions:
H 830 x W 330 x D 263mm



Product Code	Description
JB05-401-001	Single Extinguisher Cabinet
JB05-401-001K	Single Extinguisher Cabinet with Key Lock

- Double extinguisher cabinet
- 2 x 6-9kg/ltr extinguisher
- Totally corrosion proof
- Dimensions:
H 720 x W 580 x D 270mm



Product Code	Description
JB05-402-000	Double Extinguisher Cabinet
JB05-402-000K	Double Extinguisher Cabinet with Key Lock

- Double extinguisher cabinet
- 2 x 6-9kg/ltr extinguisher
- Totally corrosion proof
- Dimensions:
H 855 x W 565 x D 375mm



Product Code	Description
JB05-402-001	Double Extinguisher Cabinet
JB05-402-001K	Double Extinguisher Cabinet with Key Lock

Rotationally Moulded Hose Reel & Equipment Cabinet

- Hose Reel & Equipment Cabinet
- Totally corrosion proof
- Dimensions:
H 905 x W 935 x D 425mm



Product Code	Description
JB05-403-000	Double Extinguisher Cabinet

Rotationally Moulded Hose Cabinet

- Hose Cabinet
- Totally corrosion proof
- Dimensions:
H 500 x W 395 x D 140mm



Product Code	Description
JB04-011-000	Hose Cabinet

GRP Single Fire Extinguisher Cabinet


- Model JB01
- Cabinet for 6-12kg/ltr extinguisher
- Dimensions:
H 970 x W 470 x D 346 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-001-000	Single Fire Extinguisher Cabinet

GRP Double Fire Extinguisher Cabinet


- Model JB03
- Cabinet for 6-12kg/ltr extinguishers
- Dimensions:
H 742 x W 605 x D 280 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-003-000	Double Fire Extinguisher Cabinet

GRP Fire Hose or Double Extinguisher Cabinet

- Model JB02 (H)
- Cabinet for 2 x 6-12kg/ltr extinguishers or 2 x Fire Hose
- Dimensions:
H 950 x W 820 x D 350 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-002-000	JB02 - Double Extinguisher Cabinet
JB04-002-00H	JB02H - 2 x Fire Hose Cabinet

GRP Fire Hose Cabinet

- Model JB05H
- Cabinet for 4 x Fire Hoses and Branchpipe
- Dimensions:
H 1295 x W 625 x D 450 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved




Product Code	Description
JB04-005-00H	4 x Fire Hose Cabinet

20 Fire Cabinets

GRP Fire Hose Cabinet

- Model JB06
- Cabinet for 1 x 18mtr Fire Hose & Branchpipe
- Dimensions:
H 625 x W 528 x D 240 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-006-000	1 x Fire Hose & Branchpipe Cabinet

GRP Fire Hose or Fire Equipment Cabinet


- Model JB08 H or FE
- JB08H - Storage of Fire Hose
JB08FE - Storage of 2 x BA & Fire Fighters Clothing, 1 x shelf & 2 x BA clips
- Dimensions:
H 1530 x W 910 x D 495 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-008-00H	JB08H - Fire Hose Cabinet
JB04-008-0FE	JB08FE - Fire Equipment Cabinet

GRP Fire Hose or Fire Equipment Cabinet


- Model JB10 H or FE
- JB10H - Storage of 4 x Fire Hoses
JB10FE - Storage of 1 x BA & Fire Fighters Clothing, 1 x shelf & 1 x BA clip
- Dimensions:
H 1302 x W 785 x D 489 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-010-00H	JB10H - 4 x Fire Hoses & Branchpipe
JB04-010-0FE	JB10FE - Fire Equipment Cabinet

GRP Fire Fighters Clothing Cabinet

- Model JB17FE
- Cabinet for 2 x Fire Fighters Clothing c/w hanging c/w CABA. (fitted with 2 x BA clips, shelves & hangrail)
- Dimensions:
H 2015 x W 1385 x D 460 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-017-0FE	Fire Fighters Clothing Cabinet

GRP Fire Fighters Clothing Cabinet


- Model JB18FE
- Cabinet for Fire Fighters Clothing (fitted with shelf & handrail)
- Dimensions:
H 1831 x W 1034 x D 785 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-018-0FE	Fire Fighters Clothing Cabinet

GRP 5kg CO2 Extinguisher or Firemans Axe Cabinet

- Model JB25
- Cabinet for 1 x 5kg CO2 Extinguisher or Firemans Axe
- Dimensions:
H 1080 x W 440 x D 335 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-025-000	5kg CO2 & Fire Axe Cabinet

GRP Fire Equipment Cabinet with Roller Door

- Model RS300FE
- Cabinet for Fire Fighters Clothing, hanging c/w CABA
- Dimensions:
H 2015 x W 1385 x D 460 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-300-RSFE	Fire Fighters Clothing Cabinet

Helicopter Crash Rescue Equipment Chest

- Model JB22
- Cabinet for Helicopter Crash Rescue Equipment (excluding ladder & grab hook) (fitted with PVC J hooks)
- Dimensions:
H 605 x W 935 x D 480 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-022-00H	Heli Crash Rescue Equipment Cabinet

22 Fire Cabinets

GRP Self-Contained Breathing Apparatus Cabinet

- Model JB13BA
- Cabinet for 1 x Breathing Apparatus set c/w 1 x BA clip
- Dimensions:
H 1530 x W 910 x D 460 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-013-0BA	Breathing Apparatus Cabinet

GRP Self-Contained Double BA Cabinet

- Model JB54BA
- Cabinet for 2 x Breathing Apparatus set c/w 2 x BA clips
- Dimensions:
H 857 x W 1070 x D 435 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-054-0BA	Double Breathing Apparatus Cabinet

GRP Stretcher Cabinet

- Model JB38
- Cabinet for Stretcher
- Dimensions:
H 2347 x W 766 x D 282 mm
- Manufactured from 3-4mm GRP
- IP56 rated
- Lloyds register type test approved



Product Code	Description
JB04-038-000	Stretcher Cabinet

Rotationally Moulded Breathing Apparatus Cabinets



- Cabinet for Breathing Apparatus
- Totally corrosion proof
- Dimensions:
Single Cabinet H 705 x W 320 x D 253mm
Double Cabinet H 720 x W 580 x D 270mm

Product Code	Description
JB05-401-0BA	Single BA Cabinet
JB05-402-0BA	Double BA Cabinet

FS660 Tunic & FS650 Trousers

EN 469:2005/AC:2006-Xf2, Xr2, Y2, Z2

- Full length front zip fastening Tunic
- Waist length trousers
- Elasticated braces with quick release buckles
- Radio Pockets
- Approved for Structural fire fighting
- Available in Dark Navy, Yellow/Gold and Orange
- All sizes available



Product Code	Description
BR00-5002-660	FS660 Firemans Tunic
BR00-5002-650	FS650 Firemans Trousers

FS612 Combi Jacked & FS638 Salopettes

EN 469:2005/AC:2006-Xf2, Xr2, Y2, Z2 - Level 2

- Waist length jacket with full zip opening
- Lower chest height salopettes
- Elasticated braces with quick release buckles
- Radio Pockets
- Approved for Structural fire fighting
- Available in Dark Navy, Yellow/Gold and Orange
- All sizes available



Product Code	Description
BR00-5002-612	FS612 Firemans Combi Jacket
BR00-5002-638	FS638 Firemans Salopettes

FS700 Tunic & FS705 Trousers

EN 469:2005/AC:2006-Xf2, Xr2, Y2, Z2

- Full length front zip fastening Tunic
- Waist length trousers
- Elasticated braces with quick release buckles
- Radio Pockets
- Approved for Structural fire fighting
- Available in Dark Navy, Yellow/Gold and Orange
- All sizes available



Product Code	Description
BR00-5002-700	FS700 Firemans Tunic
BR00-5002-705	FS705 Firemans Trousers

FS720 Combi Jacket & FS725 Salopettes

EN 469:2005/AC:2006-Xf2, Xr2, Y2, Z2 - Level 2

- Waist length jacket with full zip opening
- Lower chest height salopettes
- Elasticated braces with quick release buckles
- Radio Pockets
- Approved for Structural fire fighting
- Available in Dark Navy, Yellow/Gold and Orange
- All sizes available



Product Code	Description
BR00-5002-720	FS720 Firemans Combi Jacket
BR00-5002-725	FS725 Firemans Salopettes

24 Fireman PPE

FS637 Fire Fighting Coverall

EN 469:2005/AC:2006-Xf2, Xr2, Y2, Z2

- Radio Pockets
- Elasticated back waist
- Approved for Structural fire fighting
- Available in Dark Navy, Yellow/Gold and Orange
- All sizes available



Product Code	Description
BR00-5001-637	FS637 Fire Fighting Coverall



For Fireman PPE Cabinets, please go to page 20, where you will find different sized cabinets to suit your requirements.

Fire Fighters Flash Hood

Double skin short cap flash hood/
turnout fire hood/balaclava

EN 13911: 2004 + Annexes A & B

- Kermel Aramide/Kermel FRviscose 50/50% two layer fabric
- Self binding face opening
- Wash care label heat sealed to inner
- Covers neck & upper shoulder area
- One size fits all



Product Code	Description
BR04-0783-23	Fire Fighters Flash Hood - Navy

Fire Fighters Flash Hood

Double skin long cape flash hood/
turnout fire hood/balaclava

EN 13911:2004 + Annex A & B

- Full shoulder cape
- Elasticated face opening
- Anti-static outer fibre
- One size fits all



Product Code	Description
BR04-0783-22	Fire Fighters Flash Hood - Yellow

Fire Fighting Gloves - Wristlet Style

- Manufactured to EN659:2003 Protective Gloves for Structural Fire Fighting
- PYROHIDE® leather shell
- NOMEX® Delta T Fabric back with internal KEVLAR® patch across knuckles
- Level 5 slash resistant blended KEVLAR® seamless knitted lining
- 2 layer construction to enhance dexterity and to reduce heat stress



Product Code	Description
BR08-0024-00	Fire Fighting Gloves - Wristlet

Fire Fighting Gloves - Gauntlet Style

- Manufactured to EN659:2003 Protective Gloves for Structural Fire Fighting
- PYROHIDE® leather shell
- NOMEX® Delta T Fabric back with internal KEVLAR® patch across knuckles
- Level 5 slash resistant blended KEVLAR® seamless knitted lining
- 2 layer construction to enhance dexterity and to reduce heat stress



Product Code	Description
BR08-0024-00G	Fire Fighting Gloves - Gauntlet

Non-structural, Fire Fighting Gloves - Wristlet Style

- The glove is certified to EN420 and EN388
- PYROHIDE® leather shell
- PYROHIDE® gauntlet cuff with a velcro strap
- Level 5 slash resistant blended KEVLAR® seamless knitted lining



Product Code	Description
BR08-0025-00	Non-structural, Fire Fighting Gloves - Wristlet

Non-structural, Fire Fighting Gloves - Gauntlet Style

- The glove is certified to EN420 and EN388
- PYROHIDE® leather shell
- PYROHIDE® gauntlet cuff with a velcro strap
- Level 5 slash resistant blended KEVLAR® seamless knitted lining



Product Code	Description
BR08-0025-00G	Non-structural, Fire Fighting Gloves - Gauntlet

26 Fireman PPE

Ultra, Fire Fighting Gloves - Wristlet Style

- Manufactured to EN659:2003 and compliant to NFPA 1971.
- Outer: 100% PYROHIDE® grain leather
- Interlining: CROSSTECH® membrane
- Lining: 54% KEVLAR®, 44% NOMEX®, 2% Elastane
- Thread: NOMEX® & Technora®
- Trim: Anti-wicking coated tape
- Patches: 100% FR Neoprene coated KEVLAR®



Product Code	Description
BR08-0026-00	Ultra, Fire Fighting Gloves - Wristlet

Ultra, Fire Fighting Gloves - Gauntlet Style

- Manufactured to EN659:2003 and compliant to NFPA 1971.
- Outer: 100% PYROHIDE® grain leather
- Interlining: CROSSTECH® membrane
- Lining: 54% KEVLAR®, 44% NOMEX®, 2% Elastane
- Thread: NOMEX® & Technora®
- Trim: Anti-wicking coated tape
- Patches: 100% FR Neoprene coated KEVLAR®



Product Code	Description
BR08-0026-00G	Ultra, Fire Fighting Gloves - Gauntlet

Rubber Fire Boots

- Steel toe cap
- Mid sole and anti-slip sole
- Available in all sizes



Product Code	Description
BR07-0040-00	Rubber Fire Boots (please advise size)

Tuffking 9684 Black Rubber Fire Boots

- Conforms to EN15090 F21S and A29 UK Home Office
- Flame retardant upper with heat insulation Level 3
- 100% waterproof
- Ankle protection
- Steel toe cap
- Available in sizes 3 - 14



Product Code	Description
BR07-0050-00	Tuffking 9684 Fire Boots (please advise size)

Tuffking 3000 Leather Fire Boots

- Conforms to EN15090 and A29 UK Home Office
- Premium Cowhide full grain leather upper
- SYMPATEX waterproof/breathable hydrophilic membrane
- Ankle protection
- 200 joules steel toe cap
- Available in sizes 4- 14



Product Code	Description
BR07-0060-00	Tuffking 3000 Fire Boots

Jolly 9015/A Leather Fire Boots

- Conforms to EN ISO 20345: 2004
- Upper: Leather, rubber toe cap
- Lining: Breathable fabric, Taibrelle
- Mid-sole: Innovative laminate high performance composite anti-penetration mid sole.
- All sizes available



Product Code	Description
BR07-0070-00	Jolly 9015/A Fire Boots

Fire Helmet

- Approved to EN443 & MED
- Ratchet adjustment for quick donning
- Fully adjustable visor
- Neck curtain
- Available in Yellow only



Product Code	Description
BR04-0783-00	Fire Helmet
BR04-0783-0V	Spare Visor
BR04-0783-NC	Spare Neck Curtain

Gallet F1SF Fire Helmet

- Approved to EN443 (helmet) & EN 14458 (face shield)
- Clear or metal coated face shield
- Aluminium or Integral neck curtain
- Chinstrap interface adjustable
- Cradle net for optimal comfort
- Impact absorption padding
- Various colours available



Product Code	Description
BR04-0783-01	Gallet F1SF Fire Helmet

28 Fireman PPE

Cromwell F600 Fire Helmet

- Helmet approved to EN 443 and the Visor to EN 166
- High comfort levels
- Low cost of ownership



Product Code	Description
BR04-0783-03	Cromwell F600 Fire Helmet

Motion Scout Distress Unit

- Detects the cessation of bodily movements and activates an automatic alarm
- Manual operation also
- Simple to use
- Robust design
- ATEX approved



Product Code	Description
MSA-100-MS	Motion Scout Distress Unit

Right Angle Fireman Torch

- ATEX explosive gas & dust approval
- UL listed and IECEx
- Simple, robust design
- Ultimate halogen light output
- High energy alkaline cell certified
- Low power indicator option



Product Code	Description
BR08-1200-03	Right Angle Fireman Torch
BATT-D	Spare Batteries

Hand Lamp c/w charger

- ATEX explosive gas & dust approval
- Lloyds Register Type Approved and certified to IECEx Scheme approved
- Enhanced light output from halogen bulb
- Ingress protection to IP66
- Supplied with detachable shoulder strap



Product Code	Description
BR08-2000-00	Hand Lamp
BR08-2000-10	Charger

Insulated Short Handled Fireman Axe

- Length: 34cm
- Weight: 1kg
- Tested to 20,000 Volts



Product Code	Description
BR00-6604-00	Insulated Firemans Axe
BR00-6604-01	Leather Belt & Pouch for Fire Axe

Long Handled Fireman Axe

- Wooden handle
- Length: 34cm
- Weight: 1kg



Product Code	Description
BR11-0002-00	Long Handled Fireman Axe

Fireproof Lifelines

- Made from 72 strands of flexible galvanised steel wire with an outer covering of plaited jute
- Breaking strain, not less than 1 ton
- Various lengths available



Product Code	Description
BR00-6618-00	15mtr (50ft) Lifeline
BR00-6619-00	22mtr (70ft) Lifeline

Cutting Tool

Holmatro hand-powered combi tool with full rescue capabilities for confined space or remote locations. Also suitable for certain situations where internal combustion engines can not be operated.

Ideal as part of Helideck Crash Rescue Equipment.



Product Code	Description
FS-HCT-4120	Holmatro Cutting Tool

30 Helicopter Crash Rescue

CAA Recommendations



Product Code	Description
JB04-022-00H	Helideck Equipment Chest

	Category	Category
	H1/H2	H3
Adjustable wrench	1	1
Rescue axe, large (non wedge type)	1	1
Bolt cutters	1	1
Large crowbar	1	1
Grab Hook	1	1
Heavy duty hacksaw and 6 spare blades	1	1
Fire blanket	1	1
Ladder (two-piece)	1	1
Lifeline & rescue harness	1	1
Side cutting pliers (tin snips)	1	1
Assorted screwdriver set	1	1
Harness knife & sheath	**	**
Fire gloves	**	**
Self-contained breathing apparatus ***	2	2
Power cutting tool (see page 29)	-	1

*For access to casualties in an aircraft on its side

**This equipment is required for each Helideck crew member

***Refer to Home Office Technical Bulletin 1/1997

12" Adjustable Wrench



Product Code	Description
BR01-6607-00	12" Adjustable Wrench

Large Rescue Axe, Non-wedge



Product Code	Description
BR12-0001-00	Large Rescue Axe, Non-wedge

24" Heavy Duty Bolt Cutters



Product Code	Description
BR01-6612-00	24" Heavy Duty Bolt Cutters

36" Crowbar/Wrecking Bar



Product Code	Description
BR01-6605-00	36" Crowbar/Wrecking bar

Fire Blanket



Product Code	Description
FB180-180-00	1.8mtr x 1.8mtr Fire Blanket

Side Pliers



Product Code	Description
BR01-6604-00	6" Side pliers

Helicopter Crash Rescue 31

Rescue Grab Hook, 4.5mtr 2-piece



Product Code	Description
BR08-0010-00	Rescue Grab Hook

Heavy Duty Hacksaw



Product Code	Description
BR01-6610-01	Heavy Duty Hacksaw
BR01-6610-00	Spare Blades

Assorted Screwdrivers (8 pk)



Product Code	Description
BR01-6603-00	Assorted Screwdrivers, 8 Pack

Ladder 2.8mtr 2-piece



Product Code	Description
BR01-6608-00	Ladder 2.8mtr, 2-piece

Fireproof Lifeline



Product Code	Description
BR00-6618-00	15mtr (50ft) Fireproof Lifeline
BR00-6619-00	22mtr (70ft) fireproof Lifeline

Quick Release Knife & Sheath



Product Code	Description
BR01-6609-00	Quick Release Knife & Sheath

Fire Gloves



Product Code	Description
BR08-0024-00	Fire Gloves

Self-contained Breathing Apparatus (more on page 49)



Product Code	Description
(Various)	Self-contained Breathing Apparatus

32 Fire Fighting Equipment - Fire Hose

Angus Duraline Fire Hose

Duraline features specially formulated high grade synthetic rubber extruded through an all polyamide woven jacket to give a non-kinking construction and the best rubber-to-textile adhesion that modern technology can achieve.

- Outstanding performance
- Low maintenance
- Exceptional storage life
- Best value for money
- Kitemarked to BS 6391 Type 3
- UL Listed
- UK Maritime & Coastguard Agency
- Det Norske Veritas
- All international couplings available
- Standard hose lengths 15mtr, 18mtr, 23mtr, 25mtr & 30mtr
- Hose diameters 38mm, 45mm, 51mm, 64mm & 70mm



Product Code	Description
(please contact us)	Please advise hose length, diameter and couplings required


Layflat Fire Hose - Type 1 & 2

- MED (ships wheel) approved
- Lightweight
- All synthetic
- Durable and flexible
- All international couplings available



Product Code	Description
(please contact us)	Please advise hose length, diameter and couplings required

Hose Ramps



- Hose ramps, heavy-duty hose protection for roads and industrial traffic routes
- Suited to a wide range of fire service, construction and industrial applications
- Twin channel ramp units can be linked together as required and feature a ribbed surface for added grip
- Made from fibre reinforced rubber compound
- Available in 2 sizes

Product Code	Description
FH01-HR3-000	HR3 - 855mm x 305mm x 84mm
FH01-HR4-000	HR4 - 830mm x 320mm x 102mm

Fire Fighting Equipment - Couplings/Adaptors 33

Instantaneous Couplings



Product Code	Description
	2.5" INST x 25mm Hose Tail (pair)
GU1101500000	2.5" INST x 38mm Hose Tail (pair)
GU1101750000	2.5" INST x 45mm Hose Tail (pair)
GU1102000000	2.5" INST x 52mm Hose Tail (pair)
GU1102500000	2.5" INST x 64mm Hose Tail (pair)
GU1102750000	2.5" INST x 70mm Hose Tail (pair)

Related Products

GP5250200055	2.5" INST Blank Cap & Chain (Plastic)
GU110-010-98	2.5" INST Blank Plug & Chain (Gunmetal)
GU110-010-00	2.5" INST Washers

Instantaneous Adaptors

Product Code	Description
GA5250231001	2.5" INST Female x 1" BSP Male
GA5250231501	2.5" INST Female x 1.5" BSP Male
GA5250232001	2.5" INST Female x 2" BSP Male
GA5250232501	2.5" INST Female x 2.5" BSP Male
GA5250231502	2.5" INST Female x 1.5" BSP Female
GA5250232002	2.5" INST Female x 2" BSP Female
GA5250232502	2.5" INST Female x 2.5" BSP Female
GA5250252502	2.5" INST Female x 2.5" INST Female
GA5250131001	2.5" INST Male x 1" BSP Male
GA5250131501	2.5" INST Male x 1.5" BSP Male
GA5250132001	2.5" INST Male x 2" BSP Male
GA5250132501	2.5" INST Male x 2.5" BSP Male
GA5250131002	2.5" INST Male x 1" BSP Female
GA5250131502	2.5" INST Male x 1.5" BSP Female
GA5250132002	2.5" INST Male x 2" BSP Female
GA5250132502	2.5" INST Male x 2.5" BSP Female
GA5250152501	2.5" INST Male x 2.5" INST Male

Storz Couplings



Product Code	Description
GU9661500000	Storz C x 38mm Hose Tail
GU9667500000	Storz C x 45mm Hose Tail
GU9662000000	Storz C x 52mm Hose Tail
GU9662500000	Storz C x 64mm Hose Tail
GU9677500000	Storz 65 x 45mm Hose Tail
GU9672000000	Storz 65 x 52mm Hose Tail
GU9672500000	Storz 65 x 64mm Hose Tail
GU9681000000	Storz B x 25mm Hose Tail
GU9681500000	Storz B x 38mm Hose Tail
GU9682500000	Storz B x 64mm Hose Tail

Related Products

GU966-BC	Storz C Blank Cap
GU967-BC	Storz 65 Blank Cap
GU968-BC	Storz B Blank Cap
(please contact us)	Storz Washer, various

Storz Adaptors

Product Code	Description
GA9650031502	Storz C x 1.5" BSP Female
GA9650032002	Storz C x 2" BSP Female
GA9650032502	Storz C x 2.5" BSP Female
GA9640032002	Storz 65 x 2" BSP Female
GA9640032502	Storz 65 x 2.5" BSP Female
GA9630032002	Storz B x 2" BSP Female
GA9630032502	Storz B x 2.5" BSP Female
GA9650031501	Storz C x 1.5" BSP Male
GA9650032001	Storz C x 2" BSP Male
GA9650032501	Storz C x 2.5" BSP Male
GA9640032001	Storz 65 x 2" BSP Male
GA9640032501	Storz 65 x 2.5" BSP Male
GA9630032001	Storz B x 2" BSP Male
GA9630032501	Storz B x 2.5" BSP Male

*For Light Alloy Couplings and Adaptors,
replace the GA/GU in the part number
with LA.*

34 Fire Fighting Equipment - Water Delivery

Drinking Water Hose



- Type 2 drinking water hose, PU coating
- Diameter 2.5" (64mm)
- Various lengths
- Any International fitting available
- Approved by German Health Board for use with drinking water

Product Code	Description
(please contact us)	2.5" (64mm) Blue Drinking Water Hose

International Ship-to-Shore Connection



- For the transfer of water from the dock to the ship
- Gunmetal for marine use
- Complete with gasket, bolts, washers and nuts
- All international fittings available

Product Code	Description
GA-7000052501	International Ship-to-Shore Flange x 2.5" Instantaneous Male
GA-7000052502	International Ship-to-Shore Flange x Storz C

Flanged Adaptors



- Any flanged inlet
- Any International outlet
- Gunmetal, Light Alloy and Stainless Steel available.

Product Code	Description
(please contact us)	Flanged Adaptors (various)

Coupling Spanners



Product Code	Description
GU900-100	Storz Multi Spanner
GU900-200	NOR Spanner
GU900-300	NH 2.5" Pin Lug Spanner

For Hydrant Valves please go to page 38

Select Flow Fire Nozzles



Gunmetal option available

- Mainline fire nozzle
- Stainless steel spinning teeth
- Long range penetrating jet
- Dense wide angle fog pattern
- Inlet: 2.5" Instantaneous as standard. All international fittings available

There are two models available

500 with select flows; 125, 250, 375 and 500 litres per minute

750 with select flows; 285, 460, 600 and 750 litres per minute

Product Code	Description
DE02-500-250	500 Select Flow Nozzle
DE02-750-250	750 Select Flow Nozzle

Constant Flow Fire Nozzles



- Mainline fire nozzle
- Stainless steel spinning teeth
- Long range penetrating jet
- Dense wide angle fog pattern
- Inlet: 2.5" Instantaneous as standard. All international fittings available

There are two models available

500C with fixed constant flow; 125 or 250 or 375 or 500 litres per minute

750C with fixed constant flow; 285 or 460 or 600 or 750 litres per minute

Product Code	Description
DE02-500-250C	500 Constant Flow Nozzle (flow to be advised)
DE02-750-250C	750 Constant Flow Nozzle (flow to be advised)

Automatic Flow Fire Nozzles



- Mainline fire nozzle
- Automatic pressure control, using slide valve design
- Effortless on/off control
- Moulded rubber teeth
- Inlet: 2.5" Instantaneous as standard. All international fittings available

There are two models available

Auto 500 with flow ranges; 50 to 500 litres per minute

Auto 600 with flow ranges; 50 to 700 litres per minute

Product Code	Description
DE03-500-250	500 Automatic Nozzle
DE03-600-250	600 Automatic Nozzle

Shockless Fire Nozzle



- Mainline fire nozzle, safer opening / closing
- Low force opening reaction
- Stainless steel spinning teeth
- Hard anodised light alloy or gunmetal versions available
- Inlet: 2.5" Instantaneous as standard. All international fittings available

The 'Shockless' nozzle is designed to open and close in the Spray position, with a near zero reaction making it safer for operators.

Product Code	Description
DE04-500-250G	Shockless Nozzle - Gunmetal
DE04-500-250	Shockless Nozzle - Hard Anodised

36 Fire Fighting Equipment - Nozzles

Automatic Hose Reel Nozzle



- Hose reel fire nozzle
- Automatic pressure control, using slide valve design
- Effortless on/off control
- Moulded rubber teeth
- Inlet: 19mm or 25mm BSP Female

Product Code	Description
DE01-500-019	Hose Reel Nozzle, 19mm Inlet
DE01-500-025	Hose Reel Nozzle, 25mm Inlet

Diffuser Nozzle



- Jet/spray and jet only
- Gunmetal for marine use
- Protective bumper ring
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
GN250-450-05	Gunmetal Diffuser Nozzle (2.5" INST Male)

Lever Operated Jet/Spray Nozzle - Gunmetal



- Lever operated jet/spray nozzle
- Gunmetal for marine and offshore use
- M.C.A approved and Lloyds listed
- Independent water curtain
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
GN254-001-250	Lever Operated Jet/Spray Nozzle

Unifire Nozzle



- Chrome plated brass
- V12, V16 and V20 Unifire Nozzles available
- Jet/spray
- M.C.A. Approved
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
DE09-V12-250	V12 Unifire Nozzle (12mm jet)
DE09-V16-250	V16 Unifire Nozzle (16mm jet)
DE09-V20-250	V20 Unifire Nozzle (20mm jet)

Lever Operated Jet/Spray Nozzle - Light Alloy



- Lever operated jet/spray nozzle
- Light Alloy
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
LA9200192003	Lever Operated Jet/Spray Nozzle

Water Curtain / Hydro Shield



- Creates a large water wall to protect against heat, smoke and gases
- Choice of Light Alloy or Gunmetal inlet
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
LA500-250-00	Water Curtain - 2.5" Inst Male L/A
GN500-250-00	Water Curtain - 2.5" Inst Male G/M

Fast Attack Foam Branchpipe



- On/Off squeeze trigger action
- Stainless steel foam barrel
- Jet to spray/fan using bladder mouth
- Two model sizes, 225 L/Min and 450 L/min
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
DE10-225-250	225 L/Min Foam Branchpipe
DE10-450-250	450 L/Min Foam Branchpipe




All fire hose and fire products are available with any international fitting to meet your requirements, including,

Instantaneous, Storz, NH, GOST, NOR, UNI, Nakajima, Barcelona, Guillemin, Machino, Nunan & Stove, Rotta, SMS.

38 Fire Hydrant Valves

Horizontal (Straight Through)

- Dual Seat Type
- For Marine & Offshore applications
- Inlet: flanged or threaded
- Outlet: instantaneous as standard or any international fitting




All inlet and outlets available

Product Code	Description
HY-ST-PN16-25	2.5" PN16 Inlet
HY-ST-TDE-25	2.5" Table D/E Inlet
HY-ST-ANSI-25	2.5" ANSI Inlet

Oblique

- Dual Seat Type
- For Marine & Offshore applications
- Inlet: flanged or threaded
- Outlet: instantaneous as standard or any international fitting




All inlet and outlets available

Product Code	Description
HY-OB-PN16-25	2.5" PN16 Inlet
HY-OB-TDE-25	2.5" Table D/E Inlet
HY-OB-ANSI-25	2.5" ANSI Inlet

Bib Nose

- Dual Seat Type
- For Marine & Offshore applications
- Inlet: flanged or threaded
- Outlet: instantaneous as standard or any international fitting




All inlet and outlets available

Product Code	Description
HY-BN-PN16-25	2.5" PN16 Inlet
HY-BN-TDE-25	2.5" Table D/E Inlet
HY-BN-ANSI-25	2.5" ANSI Inlet

Right Angle

- Dual Seat Type
- For Marine & Offshore applications
- Inlet: flanged or threaded
- Outlet: instantaneous as standard or any international fitting



All inlet and outlets available

Product Code	Description
HY-RA-PN16-25	2.5" PN16 Inlet
HY-RA-TDE-25	2.5" Table D/E Inlet
HY-RA-ANSI-25	2.5" ANSI Inlet

Pressure Regulating Valve

- Dual Seat Type
- For Marine & Offshore applications
- Suitable for fire mains
- Inlet: flanged or threaded
- Outlet: instantaneous as standard or any international fitting



All inlet and outlets available

Product Code	Description
HY-PRV-PN16-25	2.5" PN16 Inlet
HY-PRV-TDE-25	2.5" Table D/E Inlet
HY-PRV-ANSI-25	2.5" ANSI Inlet

Cap/Plug & Chain

- Available in Gunmetal & Plastic
- Male & Female
- All International Blank Caps also available



Product Code	Description
PL5250100650	Red Plastic Plug & Chain (for Female INST)
GP5250200055	Black Plastic Cap & Chain (for Male INST)
GU110-010-98	Gunmetal Plug & Chain (for Female INST)

Dry Riser Equipment



- Gate valve with various inlets and outlets
- Inlet breechings
- Dry riser inlet and outlet cabinets
- Air release valve

Product Code	Description
DR-GV-PN16-25	2.5" PN16 Gate Valve
DR-GV-TDE-25	2.5" Table D/E Gate Valve
DR-GV-BSP-25	2.5" BSP Gate Valve
DR-IB-TDS-40	4" Table D/E 2-way Inlet Breeching
DR-IB-PN16-40	4" PN16 2-way Inlet Breeching

2.5" Instantaneous Washers



Product Code	Description
GU110-010-00	2.5" Instantaneous Washers

All International Outlets are available, including, Storz, NOR, NH and many more. Please contact us for more details.

40 Waterway Equipment

Single Headed Standpipe

- For connection to the mains water supply
- Available with or without check valve
- Inlet: 2.5" BSRT
- Material: Light Alloy



Product Code	Description
LA-351001-00	Single Headed Standpipe
LA-351001-01	Single Headed Standpipe c/w Twin Check Valve

Double Headed Standpipe

- For connection to the mains water supply
- Available with or without check valve
- Inlet: 2.5" BSRT
- Material: Light Alloy



Product Code	Description
LA-351002-00	Double Headed Standpipe
LA-351002-01	Double Headed Standpipe c/w Twin Check Valve

Key & Bar

- Inlet: Square drive
- Material: Light Alloy



Product Code	Description
LA-801000-00	Key & Bar - Light Alloy

Contractors Standpipe

- For connection to the mains water supply
- Inlet: 2.5" BSRT
- Material: Light Alloy



Product Code	Description
LA-351003-00	Contractors Standpipe

Dividing Breeching

- Available in Gunmetal or Light Alloy
- Inlet: 2.5" Instantaneous Male
- Outlet: 2 x 2.5" Instantaneous Female
- All international inlets and outlet fitting available



Product Code	Description
LA52501Y	Dividing Breeching - Light Alloy
GU52501Y	Dividing Breeching - Gunmetal

Controlled Dividing Breeching

- Ball valve controlled
- Available in Gunmetal or Light Alloy
- Inlet: 2.5" Instantaneous Male
- Outlet: 2 x 2.5" Instantaneous Female
- All international inlets and outlet fitting available



Product Code	Description
LA52501Y-BV	Controlled Dividing Breeching - Light Alloy
GU25201Y-BV	Controlled Dividing Breeching - Gunmetal

Collecting Breeching

- Available in Gunmetal or Light Alloy
- Inlet: 2 x 2.5" Instantaneous Male
- Outlet: 2.5" Instantaneous Female
- All international inlets and outlet fitting available



Product Code	Description
LA52502Y	Collecting Breeching - Light Alloy
GU52502Y	Collecting Breeching - Gunmetal

Hydrant Flow Meter - Flowmaster 250

- Accurate flow & pressure measurement
- Flow rates up to 3000 L/Min
- Pressures up to 25 bar
- All international inlets and outlet fitting available, Instantaneous as standard



Product Code	Description
HFM-100-250	Flow Meter - 2.5" Instantaneous

42 Waterway Equipment

Angus Foam Branchpipe



Add 'S' to end of Product Code Self-inducing models

Product Code	Description
AA51-225-01	225ltr Foam Branchpipe, 2.5" INST Male
AA51-450-01	450ltr Foam Branchpipe, 2.5" INST Male
AA51-900-01	900ltr Foam Branchpipe, 2.5" INST Male

The Angus series of low expansion foam branchpipes has been designed with long range performance in mind. Self-inducing models are available in 225ltr and 450ltr versions, these come complete with pick-up-tube and piercer.

All models produce finished foams of nominal expansion 10 : 1 and give streams of an exceptional range.

- Lloyds certified
- MSA approval
- UL Listed
- Inlet: 2.5" Instantaneous Male
- All International inlet couplings available
- Self-inducing models available

Angus Foam Inductors



Angus Hi-Combat Portable Foam Uniductor, when matched with Angus Hi-Combat Foam Branchpipes or nozzles, provides the simplest possible means of getting foam to the fire where it is needed.

- Lloyds certified
- MSA approval
- UL Listed
- All International fittings available

Please advise fitting required and material in light alloy or gunmetal

Product Code	Description
AA52-225-01	225ltr Foam Inductor, 2.5" INST
AA52-450-01	450ltr Foam Inductor, 2.5" INST
AA52-900-01	900ltr Foam Inductor, 2.5" INST

Angus Mobile Foam Unit



Angus Hi-Combat AF120 MK2 is a fully self-contained mobile foam unit which has been specifically developed for the rapid deployment of foam extinguishing agent to fires and chemical spills.

Requiring only connection to a suitable water supply, the standard unit comprises a 120 litre foam concentrate tank, Hi-Combat 225ltr Uniductor and 225ltr Foam Branchpipe. Also two 15mtr lengths of dutch coiled 45mm diameter Duraline fire hose, fitted with your choice of fittings (2.5" Instantaneous standard). A shut off ball valve is also fitted to the inductor as standard, to facilitate swift operation by just one person.

Please advise fitting required and material in light alloy or gunmetal

Product Code	Description
AA60-225-01	225ltr Mobile Foam Unit
AA60-450-01	450ltr Mobile Foam Unit

Angus Mini-Turbex Foam Generator



The Angus Hi-Combat Mini-Turbex unit is a rapid deployment, first aid high expansion foam generator which produces up to 100 cubic metres of foam bubbles per minute. The Mini-Turbex is capable of producing expansion ratios between 260-360:1

With special reinforced smoke ducting , it can also be used for rapid smoke extraction (SX Model).

Standard model supplied with 2.5" Instantaneous Male inlet. All International fittings available

Product Code	Description
AA62-000-000	Mini-Turbex Generator
AA62-000-0SX	Mini-Turbex Generator (SX Model)

Angus Turbex Foam Generator



The Angus Hi-Combat Turbex MKII High Expansion Foam Generators are designed to produce large capacities of high expansion foam, up to 200 cubic metres of foam bubbles per minute, for fast and effective flooding of large and inaccessible spaces with minimal water damage.

With special reinforced smoke ducting , it can also be used for rapid smoke extraction (SX Model).

Standard model supplied with 2.5" Instantaneous Male inlet. All International fittings available

Product Code	Description
AA64-000-000	Turbex Generator
AA64-000-0SX	Turbex Generator (SX Model)

Foam Systems

The Helimixer is a foam induction system which is completely self contained and skid mounted unit. Included in the Helimixer is a foam tank, water turbine, foam pump and all the inter-connecting pipework. It only requires a pressurised water supply to operate it and it provides a fixed percentage foam concentrate injected into the fire protection system.

Flameskill can also custom build foam systems, as per clients specification and requirements.



44 Foam Concentrates

Angus Tridol AFFF Foam

Tridol S 1%, 3% and 6% is a superior quality synthetic Aqueous Film-Forming Foam (AFFF) concentrate for extinguishing and securing flammable hydrocarbon liquid fires.

Also available in 200ltr drums and 1000ltr IBC Containers,



Product Code	Description
AA20-304-020	1% Tridol AFFF - 20ltr Drum
AA20-305-020	3% Tridol AFFF - 20ltr Drum
AA20-306-020	6% Tridol AFFF - 20ltr Drum

Angus Alcoseal/Niagara/Petroseal FFFP Foam

Film-Forming FluoroProtein (FFFP) is used by Aircraft Rescue and Fire Fighting Services at international airports in over 50 countries worldwide.

Also available in 200ltr drums and 1000ltr IBC Containers,



Product Code	Description
AA20-901-020	Alcoseal 3/6 - 20ltr Drum
AA20-803-020	Niagara 3/3 - 20ltr Drum
AA20-801-020	Petroseal 3% - 20ltr Drum
AA20-802-020	Petroseal 6% - 20ltr Drum

Angus Expandol High Expansion Foam

Expandol is a superior quality high expansion fire fighting foam concentrate for extinguishing and securing flammable hydrocarbon liquid fires.

Expandol can be used as both medium expansion and high expansion,

Also available in 200ltr drums and 1000ltr IBC Containers.



Product Code	Description
AA20-401-020	Expandol - 20ltr Drum

Angus Training Foam

TF6 enables fire services to train with fire fighting foam where front-line fluorosurfactant based foams are restricted to use in emergencies by European environmental regulations. TF6 is a natural protein based product which mimics the performance of Angus Petroseal 6%.

Also available in 200ltr drums and 1000ltr IBC Containers.



Product Code	Description
AA20-307-020	TF6 Training Foam - 20ltr Drum

1900 ltr Portable Monitor



- 1900 litres per minute
- Simple and quick operation
- Highly manoeuvrable / compact and light weight
- Adjustable elevation and rotation
- Ball shut-off with locking handles
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
MO-1900P-250	1900 ltr Portable Monitor

1900 ltr Portable Oscillating Monitor



- 1900 litres per minute
- Automatic oscillation
- Simple and quick operation
- Highly manoeuvrable / compact and light weight
- Adjustable elevation and rotation
- Ball shut-off with locking handles
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
MO-1900P-250-OS	1900ltr Portable Oscillating Monitor

3000 ltr Portable Monitor



- 3000 ltr per minute
- Compact folding base
- For water and foam applications
- Geared vertical movement
- Built in pressure gauge
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
MO-3000P-250	3000 ltr Portable Monitor

4500 ltr Station Monitor



- 3" Waterways
- 360° rotation
- Lever or geared operation
- 3" or 4" flanged inlets available
- Inlet: 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
MO-4500-ANSI-400	4500 ltr Station Monitor - 4" ANSI Inlet

46 Fire Monitors & Nozzles

Angus 1800 ltr Portable Ground Monitor - PGM



- 1800 litres per minute
- Lightweight
- Low maintenance
- Highly durable - corrosion resistant materials
- Inlet: 2 x 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
MO-PGM-250	Angus 1800 ltr Portable Monitor


3000 ltr Wheeled Monitor



- 3000 ltr per minute
- 360° horizontal rotation
- Horizontal and vertical locks
- Non-return valve inlets
- Long reach jet/spray nozzle
- Inlet: 2 x 2.5" Instantaneous as standard. All international fittings available

Product Code	Description
MOW-3000-250	3000 ltr Wheeled Monitor

Angus Titan Monitor




The need for a high performance, low expansion monitor system for fighting fires in large diameter storage tanks has become a necessity for all Fire Department personnel who may be faced with such a risk.

The Angus Titan system has addressed the problem by maximising the energy input into the monitor whilst matching the output of standard Fire Brigade Pumps, giving unrivalled performance. The throw is defined in terms of height and distance. In simple terms the Titan will put foam onto the top of a tank 20mtr high at distance of 30mtr.

Product Code	Description
MO-TITAN	Angus Titan Monitor


Angus Titan Bipod Monitor



Angus Bipod Foam Monitors are portable, lightweight, self inducing, low expansion units. Easily transportable, they are available in two capacities. FC18B and FC27B, with normal throughputs of 1800 L/Min and 2700 L/Min at 7 bar inlet pressure.

Product Code	Description
MO-FC18B	FC18B - 1800 L/Min Bipod Monitor
MO-FC27B	FC27B - 2700 L/Min Bipod Monitor

Angus Titan Monitor Range



The Angus LMB Titan bronze fire monitor range is a simple and reliable design with a hand lever for movement and hand locks in both horizontal and vertical axis. Stainless steel ball race bearings are used for the horizontal and vertical movements.

All Angus bronze monitors are based on a proven low maintenance design and are ideal for marine and offshore applications.

There are three monitor sizes available in the Angus Titan range,


- LMB30 - Nominal flow 3,000 L/Min @ 7 bar
- LMB40 - Nominal flow 4,000 L/Min @ 7 bar
- LMB65 - Nominal flow 6,500 L/Min @ 7 bar

There are a number of nozzle options available with each monitor. Please contact us for more details.


Inlets flanges are 4" ANSI 150 FF as standard, but other options are available.

Product Code	Description
MO-LMB30-ANSI	LMB30 Angus Titan Monitor
MO-LMB40-ANSI	LMB40 Angus Titan Monitor
MO-LMB65-ANSI	LMB65 Angus Titan Monitor

Angus Oscillating Monitor Range



Monitor Nozzle



Self-Inducing Monitor Nozzle

A number of our Monitor Nozzles are available on page 48, both standard and including self-inducing types.

Product Code	Description
MN-FJ2000	FJ2000 - 2000 L/Min Monitor Nozzle
MN-FJS2000	FJS2000 - 2000 L/Min Self-Inducing Monitor Nozzle
MN-FJ2800	FJ2800 - 2800 L/Min Monitor Nozzle
MN-FJS2850	FJS2850 - 2850 L/Min Self-Inducing Monitor Nozzle
MN-FJ4000	FJ4000 - 4000 L/Min Monitor Nozzle
MN-FJS4000	FJS4000 - 4000 L/Min Self-Inducing Monitor Nozzle

48 Fire Monitors & Nozzles

1900 ltr Jet/Spray Monitor Nozzle



- Bronze construction
- Fully adjustable Jet/Spray
- Suitable for water and foam applications
- Single fixed constant flow rate
- Flow rate: 1100 L/Min or 1900 L/Min or 2600 L/Min
- Inlet: 2.5" BSP Female

Product Code	Description
MN-1900-250	1900 ltr Jet/Spray Monitor Nozzle

Self Inducing Monitor Nozzles



- Bronze construction
- Fully adjustable Jet/Spray
- Suitable for water and foam applications
- Built in foam inductor
- Self Inducing 3% or 1%
- Inlet: 2.5" BSP Female

Product Code	Description
MN-1900S-250	1900 L/Min Self-Inducing Monitor Nozzle
MN-2800S-250	2800 L/Min Self-Inducing Monitor Nozzle

Elkhart Brass HF-350/HF-500 Hydrofoam Monitor Nozzle



- Self-Inducing Monitor Nozzle
- Bronze construction
- HF-350 is factory set at 6% with washers supplied for 3% and 1%
- HF-500 is factory set at 3% with a washer supplied for 1%
- HF-350 - 350 GPM (1325 L/Min)
- HF-500 - 500 GPM (1900 L/Min)

Product Code	Description
MN-HF350-250	HF-350 Elkhart Self-Inducing Nozzle
MN-HF500-250	HF-500 Elkhart Self-Inducing Nozzle

CAA Regulations state that you should test your foam concentrate and produced foam, at least on an annual basis. Please refer to page 9 for further details.

Dräger Breathing Apparatus

Dräger

Flameskill are Dräger distributors and can supply you with all Dräger equipment, including,

- Full duration breathing apparatus,
- Steel and composite cylinders
- Face masks
- Emergency escape sets
- Air test tubes
- Gas detectors
- Accessories

For more information please contact us on +44 (0) 1493 440464 or visit our website, www.flameskill-shop.co.uk, where some of these items can be found.


Scott Breathing Apparatus

SCOTT SAFETY

Flameskill can supply you with all Scott Heath & Safety equipment, including,

- Full duration breathing apparatus,
- Steel and composite cylinders
- Face masks
- Emergency escape sets
- Air test tubes
- Accessories

For more information please contact us on +44 (0) 1493 440464 or visit our website, www.flameskill-shop.co.uk, where some of these items can be found.



50 Breathing Apparatus

MSA Breathing Apparatus



Flameskill are MSA distributors and can supply you with all MSA equipment, including,

- Full duration breathing apparatus,
- Steel and composite cylinders
- Face masks
- Emergency escape sets
- Air test tubes
- Gas detectors
- Accessories

For more information please contact us on +44 (0) 1493 440464 or visit our website, www.flameskill-shop.co.uk, when some of these items can be found



Parat C Smoke Hood

- The Parat C Smoke Hood protects the wearer for 15 minutes.
- The large visor has been treated with an anti-fogging agent and offers a clear view during escape
- One size fits all
- Hi-Vis Orange for high visibility
- Approved to EN 403



Product Code	Description
DR-R52817	Parat C Smoke Hood in cardboard box

Parat C Smoke Hood is available in different packaging style on request

S-Cap Smoke Hood

- The S-Cap Smoke Hood protects the wearer for 15 minutes.
- Wide lens allowing a large field of vision
- One size fits all
- Hi-Vis Yellow for high visibility
- Approved to EN 403



Product Code	Description
MSA-10064644	S-Cap Smoke Hood in cardboard box

S-Cap Smoke Hood is available in different packaging style on request

Emergency Escape Grab Bags



Emergency Escape Grab Bags for offshore oil platforms and marine vessels. The kit contains the following as standard; Atex Approved torch, Fire-proof gloves and a Smoke Hood Approved to EN 403, all contained in a storage bag.

The contents is just a guide, we can make up your grab bags containing, light sticks, electrical gloves or any other requirements. Storage bags are manufactured from Heavy Duty PVC and are screen printed with the words Emergency use only, available in orange (as picture) or yellow.

Your contents may include some of the below, but if not listed we can supply as per your requirements.

- Parat C (Product Code: DR-R52817) or S-Cap Smoke Hood (Product Code: MSA-10064644)
- Fire Fighters Gloves (Product Code: BR08-0024-00)
- ATEX Approved Torch c/w batteries (Product Code: BR08-1200-03)
- Light Sticks
- Or any other requirement you may have.

Product Code	Description
(please contact us)	Standard Grab Bag - Parat C Smoke Hood, Fire Gloves, ATEX Torch c/w Batteries, with carry case
(please contact us)	Standard Grab Bag - S-Cap Smoke Hood, Fire Gloves, ATEX Torch c/w Batteries, with carry case



BA Control Boards

Flameskill can supply tailor made BA Control Boards, complete with Tallies. Available as a 12 or 4 Tally BA Control Board.

When placing an order, please advise the make, model and cylinder capacity of the BA equipment you have, as well as the number of BA sets the board is for.

All BA Control Boards come complete with clock, you can also add the following,

- Calculator
- Rapid Deployment
- Dorset Calculator



Product Code	Description
CB-004-000	4 Tally BA Control Board
CB-012-000	12 Tally BA Control Board
CB-500	Spare Tallies

Breathing Apparatus Cabinets



To view our range of Breathing Apparatus Cabinets please go to page 22

52 Alarm Equipment

Fire Alarm Equipment

Flameskill can supply spares for all types of fire alarm systems. Please contact us with your requirements, and we will use our supply chain and network to get the very best prices and possible.

- Heat detectors
- Smoke detectors
- Call points
- Sirens
- Beacons
- Panels
- Marine and offshore spec equipment



Self-Contained Alarms



Heavy Duty Howler Alarm



Rotary Hand Bell



Air Horn



Emergency Whistle

Product Code	Description
HS03-004-__	Heavy Duty Howler Alarm, 120db Siren Volume, supplied with PP9 battery (different push button types)
AH01-000-000	Emergency Air Horn, 110db Output
TG95-54993-0	Rotary Hand Bell, 60db alarm
HS04-100-100	Emergency Whistle (pack quantity 10)

Lifebuoys


- Available in two weights, 2.5kg and 4.3kg
- Stainless steel bracket available
- Approved according to MED
- Complies with latest requirements of SOLAS 74/96 and LSA Code

Product Code	Description
LS-100-250	2.5kg Lifebuoy, 72cm
LS-100-430	4.3kg Lifebuoy, 72cm
LS-100-700	72cm Lifebuoy Bracket, Stainless Steel

Lifeline for Life Buoys


- 30mtr lifeline in plastic container
- UV protected polyethene line
- Strength of 300 kilo
- Packed in white floating easily recognisable container

Product Code	Description
LS-100-250	30mtr Lifeline for Lifebuoy

Rescue Basket Stretcher


- Comes complete with patient straps and foam base for comfort
- Colour, orange
- Strong polyethylene and aluminium structure, moulded runners and hand-holds.
- Dimensions, 217 x 62 x 18.5 cm. Weight, 13.5kg


Product Code	Description
LS-200-BS	Rescue Basket Stretcher

Emergency Safety Shower



- Indoor and outdoor emergency safety showers
- Heated and unheated options
- Eye wash station available
- Please contact us with your requirements

Life safety Products for marine applications


Lifebuoy



4506 C




4507 C




4508 C



4509 C




4013 C




4010 C




4011 C



4012 C




4014 C



4130 C

Lifeboat & Liferaft




4412 C



Liferaft

4502 C



4410 C



Lifeboat

4500 C, 4500 Q




4002 C



4503 C

evacuation




4504 C




4505 C




4604 C



4989 C




4860 C
4860 E, 4860 Q




4003 C



4006 C



4007 C



4008 C



4870 C
4870 E, 4870 Q

Pyrotechnics



4516 C



4517 C



4518 C



4018 C



4427 C



4428 C


survival Equipment



4523 C



4566 C




4920 C



4512 C




4421 C



4579 C




4521 C




4029 C



4150 C



4422 C




4679 C

sizes:
C: 150 x 150mm,
E: 200 x 200mm,
Q: 300 x 300mm

Please order as required,
state: (v) for Self Adhesive
Vinyl or (r) for Rigid PVC.

survival instructions



5501 C



5502 C




5509 C




5505 C



5506 C



5503 C



5504 C




5510 C




5507 C




5508 C



5060 D



5061 D



5062 D



5521 D



escape route




4344 G, 4344 L, 4344 I, 4344 W



4343 G, 4343 L, 4343 I, 4343 W



4979 G, 4979 L, 4979 I, 4979 W



4980 G, 4980 L, 4980 I, 4980 W



4975 G, 4975 L, 4975 I, 4975 W



4973 G, 4973 L, 4973 I, 4973 W




4977 G, 4977 L, 4977 I, 4977 W



4978 G, 4978 L, 4978 I, 4978 W

rescue equipment




4501 C




4513 C




4514 C




4017 C



4423 C




4424 C



4515 C



4425 C



4139 C

Lifejacket



4143 C




4511 C



4510 C




4145 C




4510 N



4511 N




4027 C



4015 C


4522 N



4511 N



4000 N




4000 N

sizes:

C: 150 x 150mm, D: 150 x 200mm, G: 150 x 300mm,
I: 200 x 400mm, L: 100 x 200mm, N: 50 x 150mm, W: 250 x 500mm
Please order as required, state: (v) for Self Adhesive Vinyl or (r) for Rigid PVC.

Lifeboat & Assembly Station




4690 G, 4690 L



4693 G, 4693 L



4680 G, 4680 L




4683 G, 4683 L



4699 G, 4699 L



4694 G, 4694 L



4688 G, 4688 L



4681 G, 4681 L




4691 G, 4691 L



4692 G, 4692 L



4684 G, 4684 L



4685 G, 4685 L




4695 G, 4695 L




4696 G, 4696 L



4686 G, 4686 L




4687 G, 4687 L



4026 Q




4871 G



4410 Q



4621 G



4026 C

4871 P

Assembly Station & Embarkation

Use letters or numbers to identify assembly or embarkation stations and place them on the right hand side of the safety sign.



4871 P
4871 G



4872 P
4872 G



4873 P
4873 G



4874 P
4874 G



4875 P
4875 G




4876 P
4876 G



4877 P
4877 G



4878 P
4878 G



4410 C

4621 P



4621 P
4621 G



4622 P
4622 G



4623 P
4623 G



4624 P
4624 G



4625 P
4625 G



4626 P
4626 G



4627 P
4627 G



4628 P
4628 G



4629 P
4629 G



4620 P
4620 G

Assembly Station has the same meaning as Muster Station. Assembly / Embarkation Stations should be identified with the appropriate sign with an identification number or letter on the right side of the sign. Direction to Assembly / Embarkation Stations can be marked using the Assembly / Embarkation sign with a Direction Arrow.

sizes:

C: 150 x 150mm, G: 150 x 300mm, L: 100 x 200mm, P: 75 x 150mm, Q: 300 x 300mm

Please order as required, state: (v) for Self Adhesive Vinyl or (r) for Rigid PVC.

Fire Extinguisher Identification, Photoluminescent self adhesive tapes & LLL



Fire extinguishers identification & fire fighting equipment signs



sizes: D: 150 x 200mm, DD: 225 x 300mm, ID: 100 x 150mm

Please order as required, state: (v) for Self Adhesive Vinyl or (r) for Rigid PVC.

escape route illumination



Pro DuCt Co DE	SzE
Vt 0504	5m x 40mm
Vt 0508	5m x 50mm
Vt 1002	10m x 20mm
Vt 1004	10m x 40mm
Vt 1005	10m x 50mm
Vt 1008	10m x 80mm

safety way guidance Direction



Pro DuCt Co DE	SzE
At 1004 *	10m x 40mm
At 1005 *	10m x 50mm
At 1008 *	10m x 80mm

assembly station Direction



Pro DuCt Co DE	SzE
AS1004 *	10m x 40mm
AS1005 *	10m x 50mm
AS1008 *	10m x 80mm

Lifeboat Direction



Pro DuCt Co DE	SzE
LB1004 *	10m x 40mm
LB1005 *	10m x 50mm
LB1008 *	10m x 80mm

* The decals are supplied separately to the photoluminescent tape so that they can be fixed at the most pertinent places along the escape route system. Decals are supplied in packs (10 left and 10 right).

Low Location Lighting escape route system


Regulations II-2/28 and II-2/41-2 of the SOLAS Convention: All passenger ships carrying more than 36 passengers, the means of escape, including stairways and exits, should be marked by a Low Location Lighting (LLL) system at all points of the escape route.

The JALITE Photoluminescent LLL system satisfies the luminance performance as required by ISO 15370.

Certification in accordance with Marine Equipment Directive.



Marine Equipment Directive



Pro DuCt DESC r IPt Io N (PVC Prof ILES)	Pro DuCt Co DE
Escape Route Low Location Lighting System This kit provides sufficient components to provide 10m x 50mm of LLL system.	LLL PVC-10
Lifeboat Low Location Lighting System This kit provides sufficient components to provide 10m x 50mm of LLL system.	LLL PVC-101
Assembly Station Low Location Lighting System This kit provides sufficient components to provide 10m x 50mm of LLL system.	LLL PVC-102

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....





1 Morton Peto Estate Great Yarmouth Norfolk NR31 0LT United Kingdom

Tel: +44 (0) 1493 440464

Email: admin@flameskill.co.uk

www.flameskill.co.uk

www.flameskill-shop.co.uk