



Helping to protect lives globally

JoBird®

BUILT BY THE BEST TO  
WITHSTAND THE WORST.

## Product data sheet

# JB82S Fire Extinguisher Cabinet



### Typical use:

For the storage of 1 x 6-12 Kg portable Fire Extinguisher (excluding 5Kg CO2 extinguisher). This cabinet is used in the offshore energy industry as well as commercial marine and cruise sectors.

### Description:

These cabinets are manufactured using Lloyds approved composites including UV resistant gelcoats to provide long lasting protection for equipment stored inside in even the harshest environments. This is backed up with an excellent IP rating of 56. It has both Lloyds and ABS approvals.

The design ensures a high level of rigidity for the relatively low weight with a very effective EPDM seal around the door aperture. The hinges are secured with 316 stainless steel nuts, bolts and washers.

The door can be specified with left or right hinging and features a nylon graphite rotary handle to pull the door open to guarantee fast access even when wearing gloves.

### Standard specification:

Dimensions: in mm (inches)

Height x width x depth: 799 x 374 x 280 (31.46 x 14.72 x 11.02")

Aperture: 636Hx 218W (25.04 x 8.58")

Internal depth: 229 (9.02")

Weight Kg: 10Kg (22IB)

### Material specification:

Colour: Red RAL3000

Material: Lloyds approved composites with UV stabilised gelcoat

Hinges: Nylon 6 'T' hinges

Handle: Nylon graphite/316 rotary with Biomaster® anti-microbial technology and anti-tamper seal facility

Seal: EPDM

Webbing strap with QR buckle: Nylon

### Optional Extras:

Other RAL colours

Class 1 fire retardant composites

Perspex window with bezel

316 Stainless steel hinges

Made in the UK

